WEST Search History

Hide Items | Restore | Clear | Cancel

DATE: Monday, July 17, 2006

Hide?	<u>Set</u> Name	Query	<u>Hit</u> <u>Count</u>
	DB=PC	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR	
	L21	time-series same animat\$3 same transition same position	3
	L20	time-series and animat\$3 same display\$3 same list\$1 and transition	6
	L19	time -series and animat\$3 same display\$3 same list\$1 and transition	8551404
	L18	time-series same data same list\$1 and temporal same transition and animation same display\$3	1
	L17	463/3.ccls.	152
	L16	463/2.ccls.	154
	L15	273/317.6.ccls.	148
	L14	700/92.ccls.	193
	L13	700/91.ccls.	346
	L12	700/90.ccls.	1040
	L11	382/103.ccls.	1232
	L10	348/579.ccls.	32
	L9	348/578.ccls.	331
	L8	348/172.ccls.	61
	L7	348/171.ccls.	44
	L6	348/169.ccls.	716
	L5	348/57.ccls.	75
	L4	715/763.ccls.	327
	L3	715/719.ccls.	308
	L2	345/427.ccls.	758
	L1	345/473.ccls.	1237

END OF SEARCH HISTORY

• PALM INTRANET

Day : Monday Date: 7/17/2006

Time: 16:06:41

Inventor Information for 09/919989

Inventor Name	City	State/Country	
KONISHI, KENTARO	TOKYO	JAPAN	
USUI, MASAKI	TOKYO	JAPAN	
OKAHARA, TATSUYA	TOKYO	JAPAN	
Appln Info Contents Patition Info	AthyllAgent Info	Continuty/Reexam	Foreign

Search Another: Application# Search or Patent# Search

PCT / Search or PG PUBS # Search

Attorney Docket # Search

Bar Code # Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library C The Guide

time-series and animation same displaying and lists and transi

SEARCH



Feedback Report a problem Satisfaction survey -

Terms used

time series and animation same displaying and lists and transition

Found **80,070** of **178,880**

Sort results bν

Display

results

relevance expanded form

Save results to a Binder Search Tips Open results in a new

Try an Advanced Search Try this search in The ACM Guide

next

Results 1 - 20 of 200

window

Result page: 1 2 3 4 5 6 7 8 9 10

Relevance scale \square

Best 200 shown

Fast detection of communication patterns in distributed executions

Thomas Kunz, Michiel F. H. Seuren

November 1997 Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research

Publisher: IBM Press

Full text available: pdf(4.21 MB)

Additional Information: full citation, abstract, references, index terms

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

The elements of nature: interactive and realistic techniques

Oliver Deusen, David S. Ebert, Ron Fedkiw, F. Kenton Musgrave, Przemyslaw Prusinkiewicz, Doug Roble, Jos Stam, Jerry Tessendorf

August 2004 Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH

Publisher: ACM Press

Full text available: pdf(17.65 MB) Additional Information: full citation, abstract

This updated course on simulating natural phenomena will cover the latest research and production techniques for simulating most of the elements of nature. The presenters will provide movie production, interactive simulation, and research perspectives on the difficult task of photorealistic modeling, rendering, and animation of natural phenomena. The course offers a nice balance of the latest interactive graphics hardware-based simulation techniques and the latest physics-based simulation techni ...

Visualizing geospatial data

Theresa Marie Rhyne, Alan MacEachren, Theresa-Marie Rhyne

August 2004 Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04

Publisher: ACM Press

Full text available: pdf(14.01 MB) Additional Information: full citation, abstract

This course reviews concepts and highlights new directions in GeoVisualization. We review four levels of integrating geospatial data and geographic information systems (GIS) with

scientific and information visualization (VIS) methods. These include: • Rudimentary: minimal data sharing between the GIS and Vis systems• Operational: consistency of geospatial data• Functional: transparent communication between the GIS and Vis systems• Merged: one comprehensive toolkit environmentW ...

4 Performance animation and motion quality: AER: aesthetic exploration and



Michael Neff, Eugene Fiume

July 2005 Proceedings of the 2005 ACM SIGGRAPH/Eurographics symposium on Computer animation SCA '05

Publisher: ACM Press

Full text available: pdf(1.02 MB)

Additional Information: full citation, abstract, references; index terms

Our progress in the problem of making animated characters move expressively has been slow, and it persists in being among the most challenging in computer graphics. Simply attending to the low-level motion control problem, particularly for physically based models, is very difficult. Providing an animator with the tools to imbue character motion with broad expressive qualities is even more ambitious, but it is clear it is a goal to which we must aspire. Part of the problem is simply finding the r ...

⁵ Seeing, hearing, and touching: putting it all together

Brian Fisher, Sidney Fels, Karon MacLean, Tamara Munzner, Ronald Rensink
August 2004 Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH
'04

Publisher: ACM Press

Full text available: pdf(20.64 MB) Additional Information: full citation

6 Expressive speech-driven facial animation

Yong Cao, Wen C. Tien, Petros Faloutsos, Frédéric Pighin October 2005 ACM Transactions on Graphics (TOG), Volume 24 Issue 4

Publisher: ACM Press

Full text available: pdf(16.91 MB) Additional Information: full citation, abstract, references, index terms

Speech-driven facial motion synthesis is a well explored research topic. However, little has been done to model expressive visual behavior during speech. We address this issue using a machine learning approach that relies on a database of speech-related high-fidelity facial motions. From this training set, we derive a generative model of expressive facial motion that incorporates emotion control, while maintaining accurate lip-synching. The emotional content of the input speech can be manually s ...

Keywords: Facial animation, expression synthesis, independent component analysis, lip synching

7 Motion texture: a two-level statistical model for character motion synthesis

Yan Li, Tianshu Wang, Heung-Yeung Shum

July 2002 ACM Transactions on Graphics (TOG), Proceedings of the 29th annual conference on Computer graphics and interactive techniques SIGGRAPH '02, Volume 21 Issue 3

Publisher: ACM Press

Full text available: pdf(5.06 MB)


Additional Information: full citation, abstract, references, citings, index terms

In this paper, we describe a novel technique, called motion texture, for synthesizing complex human-figure motion (e.g., dancing) that is statistically similar to the original

motion captured data. We define motion texture as a set of motion textons and their distribution, which characterize the stochastic and dynamic nature of the captured motion. Specifically, a motion texton is modeled by a linear dynamic system (LDS) while the texton distribution is represented by a transition matrix indicat ...

Keywords: linear dynamic systems, motion editing, motion synthesis, motion texture, texture synthesis

Animation: Statistical synthesis of facial expressions for the portrayal of emotion



June 2004 Proceedings of the 2nd international conference on Computer graphics and interactive techniques in Australasia and South East Asia GRAPHITE '04

Publisher: ACM Press

Full text available: pdf(907.19 KB) Additional Information: full citation, abstract, references, index terms

This paper presents a novel technique for the generation of 'video textures' to display human emotion. This is achieved by a method which uses existing video footage to synthesise new sequences of coherent facial expression and head motions. An 'expression space' which is defined by sets of emotion models is constructed using principal components analysis (PCA) and the application of an auto-regressive process (ARP). Using this expression space a tool has been developed which enables this ...

Keywords: emotion, image based rendering, modelling, principal components analysis, self organising maps, synthesis

Crowd and group animation

Daniel Thalmann, Christophe Hery, Seth Lippman, Hiromi Ono, Stephen Regelous, Douglas


August 2004 Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04

Publisher: ACM Press

Full text available: pdf(20.19 MB) Additional Information: full citation, abstract

A continuous challenge for special effects in movies is the production of realistic virtual crowds, in terms of rendering and behavior. This course will present state-of-the-art techniques and methods. The course will explain in details the different approaches to create virtual crowds: particle systems with flocking techniques using attraction and repulsion forces, copy and pasting techniques, agent-based methods. The architecture of software tools will be presented including the MASSIVE softwa ...

10 Curriculum 68: Recommendations for academic programs in computer science: a



William F. Atchison, Samuel D. Conte, John W. Hamblen, Thomas E. Hull, Thomas A. Keenan, William B. Kehl, Edward J. McCluskey, Silvio O. Navarro, Werner C. Rheinboldt, Earl J. Schweppe, William Viavant, David M. Young

March 1968 Communications of the ACM, Volume 11 Issue 3

Publisher: ACM Press

Full text available: pdf(6.63 MB) Additional Information: full citation, references, citings

Keywords: computer science academic programs, computer science bibliographies, computer science courses, computer science curriculum, computer science education,





computer science graduate programs, computer science undergraduate programs

11 Trainable videorealistic speech animation

Tony Ezzat, Gadi Geiger, Tomaso Poggio

July 2002 ACM Transactions on Graphics (TOG), Proceedings of the 29th annual conference on Computer graphics and interactive techniques SIGGRAPH

'02. Volume 21 Issue 3

Publisher: ACM Press

Full text available: pdf(524.89 KB)

Additional Information: full citation, abstract, references, citings, index terms

We describe how to create with machine learning techniques a generative, speech animation module. A human subject is first recorded using a videocamera as he/she utters a predetermined speech corpus. After processing the corpus automatically, a visual speech module is learned from the data that is capable of synthesizing the human subject's mouth uttering entirely novel utterances that were not recorded in the original video. The synthesized utterance is re-composited onto a background sequence ...

Keywords: facial animation, facial modeling, lip synchronization, morphing, optical flow, speech synthesis

12 Shape & motion: Automated extraction and parameterization of motions in large data





Lucas Kovar, Michael Gleicher

August 2004 ACM Transactions on Graphics (TOG), Volume 23 Issue 3

Publisher: ACM Press

mov(24:47 MIN)

Full text available: Topdf(706.30 KB) Additional Information: full citation, abstract, references, citings, index

terms

Large motion data sets often contain many variants of the same kind of motion, but without appropriate tools it is difficult to fully exploit this fact. This paper provides automated methods for identifying logically similar motions in a data set and using them to build a continuous and intuitively parameterized space of motions. To find logically similar motions that are numerically dissimilar, our search method employs a novel distance metric to find "close" motions and then uses them as inter ...

Keywords: motion capture, motion databases, motion synthesis

13 A multimodal learning interface for grounding spoken language in sensory





perceptions

Chen Yu, Dana H. Ballard

July 2004 ACM Transactions on Applied Perception (TAP), Volume 1 Issue 1

Publisher: ACM Press

Full text available: pdf(1.73 MB)

Additional Information: full citation, abstract, references, index terms

We present a multimodal interface that learns words from natural interactions with users. In light of studies of human language development, the learning system is trained in an unsupervised mode in which users perform everyday tasks while providing natural language descriptions of their behaviors. The system collects acoustic signals in concert with user-centric multisensory information from nonspeech modalities, such as user's perspective video, gaze positions, head directions, and hand moveme ...

Keywords: Multimodal learning, cognitive modeling, multimodal interaction

14 VRML history: storing and browsing temporal 3D-worlds

Hartmut Luttermann, Manfred Grauer

February 1999 Proceedings of the fourth symposium on Virtual reality modeling language

Publisher: ACM Press

Full text available: pdf(3.31 MB) Additional Information: full citation, references, citings, index terms

Keywords: VRML, data modeling, data visualization, spatio-temporal data

15 Voice puppetry

Matthew Brand

July 1999 Proceedings of the 26th annual conference on Computer graphics and interactive techniques

Publisher: ACM Press/Addison-Wesley Publishing Co.

Full text available: pdf(1.82 MB)

Additional Information: full citation, references, citings, index terms

Keywords: computer vision and audition, control, facial animation, learning, lip-syncing

16 DISSERTATIONS: ABSTRACTS OF INTEREST

Susanne M. Humphrey, Ben Shneiderman

April 1992 ACM SIGCHI Bulletin, Volume 24 Issue 2

Publisher: ACM Press

Full text available: pdf(2.16 MB) Additional Information: full citation, abstract

The following abstracts were selected from a computer search using the BRS Information Technologies retrieval services of the Dissertation Abstracts International (DAI) database produced by University Microfilms International. Unless otherwise specified, paper or microform copies of dissertations may be ordered, using the UM order number, from University Microfilms International, Dissertation Copies, Post Office Box 1794, Ann Arbor, MI 488106; telephone for U.S. (except Michigan, Hawaii, or Alask ...

17 <u>User interfaces: semantic tagging: Visualizing tags over time</u>

Micah Dubinko, Ravi Kumar, Joseph Magnani, Jasmine Novak, Prabhakar Raghavan, Andrew Tomkins

May 2006 Proceedings of the 15th international conference on World Wide Web WWW '06

Publisher: ACM Press

Full text available: pdf(331.12 KB) Additional Information: full citation, abstract, references, index terms

We consider the problem of visualizing the evolution of tags within the Flickr (flickr.com) online image sharing community. Any user of the Flickr service may append a tag to any photo in the system. Over the past year, users have on average added over a million tags each week. Understanding the evolution of these tags over time is therefore a challenging task. We present a new approach based on a characterization of the most interesting tags associated with a sliding interval of time. An animat ...

Keywords: Flickr, interval covering, social media, tags, temporal evolution, visualization



Technical contributions: Roster of programming languages for 1973

Jean E. Sammet


November 1974 ACM SIGPLAN Notices, Volume 9 Issue 11

Publisher: ACM Press

Full text available: pdf(1.62 MB)

Additional Information: full citation





Publisher: ACM Press

Full text available: pdf(17.07 MB) Additional Information: full citation, abstract

Level set methods, an important class of partial differential equation (PDE) methods, define dynamic surfaces implicitly as the level set (iso-surface) of a sampled, evolving nD function. The course begins with preparatory material that introduces the concept of using partial differential equations to solve problems in computer graphics, geometric modeling and computer vision. This will include the structure and behavior of several different types of differential equations, e.g. the level set eq ...

20 Systems II: An analysis of a large scale habitat monitoring application



Robert Szewczyk, Alan Mainwaring, Joseph Polastre, John Anderson, David Culler November 2004 Proceedings of the 2nd international conference on Embedded networked sensor systems

Publisher: ACM Press

Full text available: pdf(1.22 MB) Additional Information: full citation, abstract, references, index terms

Habitat and environmental monitoring is a driving application for wireless sensor networks. We present an analysis of data from a second generation sensor networks deployed during the summer and autumn of 2003. During a 4 month deployment, these networks, consisting of 150 devices, produced unique datasets for both systems and biological analysis. This paper focuses on nodal and network performance, with an emphasis on lifetime, reliability, and the the static and dynamic aspects of single an ...

Keywords: application analysis, habitat monitoring, implementation, long-lived systems, microclimate monitoring, network architecture, sensor networks

Results 1 - 20 of 200 Result page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u> <u>next</u>

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player



Home | Login | Logout | Access Information | Alerts |

IEEE XPLORE GUIDE

Welcome United States Patent and Trademark Office

SEARCH

■■Search Session History BROWSE

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#)

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- · Run a search

Mon, 17 Jul 2006, 4:20:44 PM EST

Search Query Display



#1 ((time-series animation<in>metadata) <and> (data list<in>metadata))<and> (time transition<in>metadata)

#2 ((time-series animation<in>metadata) <and>(temporal transition<in>metadata))<and>(chart and list<in>metadata)

#3 ((time-series<in>metadata) <and>(chart list<in>metadata)) <and>(temporal transition<in>metadata)

Indexed by

Help Contact Us Privacy &:

© Copyright 2006 IEEE -